# SAFETY DATA SHEET



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

Hylomar / Hylosil 302; Hylomar / Hylosil 303; Hylomar / Hylosil Instant Gasket

of the mixture

Registration number

**Synonyms** None. SDS number 20

20-March-2017 Issue date

Version number 01 **Revision date** Supersedes date

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Silicone sealant. Uses advised against None known. 1.3. Details of the supplier of the safety data sheet

Manufacturer: Hylomar Ltd.

Address: Hylo House, Cale Lane, New Springs,

Wigan, Greater Manchester,

UK, WN2 1JT

+44(0)1942 617000 Telephone number: E-mail address: info@hylomar.co.uk Contact person: **Technical Department** 1.4. Emergency telephone +1-760-476-3961 (US)

number

Access code: 333544

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

# Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin corrosion/irritation Category 2 H315 - Causes skin irritation. H318 - Causes serious eye Serious eye damage/eye irritation Category 1 damage.

Causes serious eye damage. Causes skin irritation. Occupational exposure to the substance or

mixture may cause adverse health effects.

2.2. Label elements

**Hazard summary** 

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Triacetoxyethylsilane

**Hazard pictograms** 

Signal word

**Hazard statements** 

Causes skin irritation. H315 Causes serious eye damage. H318

**Precautionary statements** 

Prevention

Wash thoroughly after handling. P264

Wear protective gloves/protective clothing/eye protection/face protection. P280

Hylomar / Hylosil 302; Hylomar / Hylosil 303; Hylomar / Hylosil Instant Gasket 908581 Version #: 01 Revision date: - Issue date: 20-March-2017

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing

Immediately call a POISON CENTRE/doctor. P310 IF ON SKIN: Wash with plenty of water. P302 + P352 Store away from incompatible materials. Storage

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information

2.3. Other hazards Not a PBT or vPvB substance or mixture.

# SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

#### **General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Polyalkyl siloxane	20 - 30	63148-62-9	-	-	
		-			
Classification:	Eye Irrit. 2;H319				
Triacetoxyethylsilane	3 -< 5	17689-77-9 241-677-4	-	-	
Classification:	Met. Corr. 1;H290, Skin Corr. 1B;H314, Eye Dam. 1;H318				

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. The full text for all H-statements is displayed in section 16.

# **SECTION 4: First aid measures**

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get Skin contact

medical advice/attention. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention immediately.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important symptoms and effects, both acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness

and pain.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation.

#### **SECTION 5: Firefighting measures**

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Use fire-extinguishing media appropriate for surrounding materials.

Do not use water jet as an extinguisher, as this will spread the fire.

media

5.2. Special hazards arising

Unsuitable extinguishing

from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

Move containers from fire area if you can do so without risk. procedures

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid contact with skin and eyes. Avoid inhalation of vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during

clean-up

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not discharge into drains, water courses or onto the ground.

6.3. Methods and material for

Ventilate the area.

6.3. Methods and material for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste for proper disposal. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Do not breathe vapour. Do not get this material in contact with eyes. Avoid contact with skin and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see section 10 of

7.3. Specific end use(s) Silicone sealant.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Occupational exposure limits

#### **UK. EH40 Workplace Exposure Limits (WELs)**

Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3	
·	TWA	3.5 mg/m3	
Silicon dioxide, crystalline silica-free (CAS 7631-86-9)	TWA	6 mg/m3	Inhalable dust.
,		2.4 mg/m3	Respirable dust.
Titanium dioxide (CAS 13463-67-7)	TWA	4 mg/m3	Respirable.
·		10 mg/m3	Inhalable
Decomposition	Туре	Value	
Methanol (CAS 67-56-1)	STEL	333 mg/m3	
		250 ppm	
	TWA	266 mg/m3	
		200 ppm	

#### EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU

Decomposition	Туре	Value
Acetic acid (CAS 64-19-7)	TWA	25 mg/m3
		10 ppm
Methanol (CAS 67-56-1)	TWA	260 mg/m3
		200 ppm

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no effect levels (DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

### **Exposure guidelines**

# UK EH40 WEL: Skin designation

Methanol (CAS 67-56-1)

Can be absorbed through the skin.

#### 8.2. Exposure controls

Appropriate engineering

controls

Provide adequate ventilation. Observe occupational exposure limits and minimise the risk of

exposure. Provide easy access to water supply and eye wash facilities.

Individual protection measures, such as personal protective equipment

**General information** Personal protective equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Eye/face protection

oc protection

Wear approved safety glasses or goggles.

Skin protection

- Hand protection Wear protective gloves. Nitrile or neoprene gloves are recommended. Suitable gloves can be

recommended by the glove supplier.

Other Normal work clothing (long sleeved shirts and long pants) is recommended.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Use respiratory equipment with

combination filter, type A2/P2.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Environmental manager must be informed of all major releases.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state Liquid.

Form Paste. Thixotropic gel.

Colour 302: Black.

303, Instant Gasket: Translucent.

Odour Vinegar-like.
Odour threshold Not available.
pH Not available.
Melting point/freezing point Not available.
Initial boiling point and boiling Not available.

range

Flash point > 100.0 °C (> 212.0 °F) Closed cup

Evaporation rate Not available.
Flammability (solid, gas) Not applicable.
Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Vapour pressureNot available.Vapour densityNot available.

Relative density 1.02 (25 °C) ( Water = 1)

Solubility(ies) Insoluble in water.

Partition coefficient (n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot relevant.Explosive propertiesNot explosive.Oxidising propertiesNot oxidising.

**9.2. Other information** No relevant additional information available.

# **SECTION 10: Stability and reactivity**

**10.1. Reactivity** The product is stable and non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Contact with incompatible materials.

10.5. Incompatible materials

Strong oxidising agents. Fluorine. Chlorine. Fluorides.

10.6. Hazardous

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

decomposition products vapours.

# **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

**Skin contact** Causes skin irritation.

**Eye contact** Causes serious eye damage.

**Ingestion** May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result. Skin irritation. May cause

redness and pain.

#### 11.1. Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Components Species Test results

Polyalkyl siloxane (CAS 63148-62-9)

**Acute** 

**Dermal** 

LD50 Rabbit > 5000 mg/kg

Oral

LD50 Rat > 17000 mg/kg

**Skin corrosion/irritation** Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory sensitisationBased on available data, the classification criteria are not met.Skin sensitisationBased on available data, the classification criteria are not met.Germ cell mutagenicityBased on available data, the classification criteria are not met.CarcinogenicityBased on available data, the classification criteria are not met.Reproductive toxicityBased on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure

siligie exposule

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Mixture versus substance information

Due to the physical form of the product it is not expected to be an aspiration hazard.

No information available.

Other information

No other specific acute or chronic health impact noted.

#### **SECTION 12: Ecological information**

**12.1. Toxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2. Persistence and

degradability

No data is available on the degradability of this product.

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available.

**12.4. Mobility in soil**The product is insoluble in water. Expected to have low mobility in soil.

12.5. Results of PBT

and vPvB assessment

Not a PBT or vPvB substance or mixture.

Hylomar / Hylosil 302; Hylomar / Hylosil 303; Hylomar / Hylosil Instant Gasket 908581 Version #: 01 Revision date: - Issue date: 20-March-2017

12.6. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

**Residual waste** Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging**Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

**EU waste code** 08 04 09\*

The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Special precautions** Dispose in accordance with all applicable regulations.

# **SECTION 14: Transport information**

#### **ADR**

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

**ADN** 

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

**IMDG** 

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk

Not applicable.

according to Annex II of Marpol

and the IBC Code

#### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

# **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended Not listed.

# Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

# Other EU regulations

#### Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended and respective national laws implementing EC directives.

National regulations 15.2. Chemical safety assessment Follow national regulation for work with chemical agents. No Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

List of abbreviations

PBT: Persistent, bioaccumulative and toxic. vPvB: Very Persistent and very Bioaccumulative.

TWA: Time weighted average.

References HSDB® - Hazardous Substances Data Bank

Registry of Toxic Effects of Chemical Substances (RTECS) ESIS (European chemical Substances Information System)

Information on evaluation method leading to the classification of mixture

The mixture is classified based on test data for physical hazards. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if

available. For details, refer to Sections 9, 11 and 12.

Full text of any H-statements not written out in full under Sections 2 to 15

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

**Training information** Follow training instructions when handling this material.

**Disclaimer** The information in the sheet was written based on the best knowledge and experience currently

available.

Hylomar / Hylosil 302; Hylomar / Hylosil 303; Hylomar / Hylosil Instant Gasket 908581 Version #: 01 Revision date: - Issue date: 20-March-2017